

# PRESS RELEASE

## **LUX ELEMENTS optimises TUB-COMBI**

Leverkusen, 26.10.2020  
Page [ 1 / 4 ]

### **Even flatter shower bases with integrated drainage technology**

The sanitary and tiling trades are only too familiar with these challenges: when renovating a bathroom in an old building, a flush-with-the-floor shower is desired, even though the existing installation height of the floor is too low for the installation of the drain technology. The TUB-COMBI-S shower base system solves this problem thanks to its very flat design – and it also impresses with a good drainage capacity. A further advantage is the short installation time.

The new, even flatter models with prefabricated slope are the combination of a sealed hard foam shower base (AIV-P) according to DIN 18534, Part 6 and a horizontal drain. The shower bases are only 65 mm high at the outer edges and only 55 mm high at the floor drain.

The built-in horizontal DN 40 floor drain, including grate fitting frame made of ABS plastic and standard grate made of stainless steel, has a good drainage capacity of 48 litres/minute.

The TUB-COMBI-S is currently offered in two square dimensions - 900 x 900 mm and 1000 x 1000 mm. Bespoke manufacturing is also possible at the customer's request under the designation "PLUS".

In addition to this version, there is also the proven TUB-COMBI product

# PRESS RELEASE



with horizontal DN 50 floor drain. Detailed information on both versions can be found on the LUX ELEMENTS website.

Leverkusen, 26.10.2020  
Page [2 / 4]

The manufacturer's YouTube channel additionally offers an installation video for the TUB-COMBI.

## Links:

[https://www.luxelements.com/lux\\_en/programm/tub/duschtasse-combi.htm](https://www.luxelements.com/lux_en/programm/tub/duschtasse-combi.htm)

<https://youtu.be/EhlINTWxII4>

## Information:

Lux Elements GmbH & Co. KG

Barbara Steinhöfer

E-mail: [b.steinhoefer@luxelements.de](mailto:b.steinhoefer@luxelements.de)

Phone +49 (0) 21 71/72 12 15

# PRESS RELEASE




Leverkusen, 26.10.2020  
Page [3 / 4]

## TELECHARGEMENT:

- > [Lux3D\\_LE-TUB-COMBI-S\\_Ambiente\\_06-2020\\_3C \[105 KB\]](#)
- > [Lux3D\\_LE-TUB-COMBI-S\\_Ambiente\\_06-2020\\_4C \[3,1 MB\]](#)

# PRESS RELEASE

Leverkusen, 26.10.2020  
Page [4 / 4]



## TELECHARGEMENT:

- > [Lux3D\\_LE-TUB-COMBI-S\\_MQ\\_1000\\_3C \[223 KB\]](#)
- > [Lux3D\\_LE-TUB-COMBI-S\\_MQ\\_1000\\_4C \[3,8 MB\]](#)